

aaa > radius > clients > addclient

aaa > radius > clients > addclient

Route: aaa/radius/clients/addclient

URL: https://admin.myslbb.com/#/aaa/radius/clients/addclient

Overview

This page is a draft SOP reference for the above screen in **i2i Core OSS/BSS**. It is auto-generated from UI exports and should be reviewed for operational correctness before customer release.

When to Use

- Use this screen for the workflow represented by this route.
- Do not make billing/AAA/provisioning-impacting changes without required authorization.

Typical Workflow

1. Verify you are working on the correct entity (Customer/Account/Service).
2. Review the current lifecycle state before making changes.
3. Apply changes and validate system response.
4. Confirm downstream impact (AAA/Provisioning/Billing) where applicable.

Field & Action Hints (Auto-detected)

- **Fields detected:** identity, IP Address For Client, MAC Address For Client, Client Group, Client Profile, Shared Secret, CoA/DM Shared Secret, Request Timeout (ms), CoA Port, CoA Timeout (ms), Accounting Interval (s), Share Across Organization, Description, Mac Id attribute of the client, NAS Port Id Attribute, Option 82 Attribute, API Type
- **Actions detected:** Auto, Close, AAA, Radius, Trusted Client, Cancel, Create Radius Client

Validation & Safety Checks

- Confirm identifiers before saving.
- Confirm lifecycle state allows the change.
- Confirm rollback/support path exists for production actions.

Escalation Guidance

- **L1:** Verify input, permissions, and entity state.
- **L2:** Validate dependencies and downstream state.
- **L3/Admin:** Policy/config changes or suspected defect.

Screenshots

create_new

Captured URL: <https://admin.myslbb.com/#/aaa/radius/clients/addclient>

Images uploading...

The screenshot shows the 'Create Radius Client' form in the SMARTLINK admin interface. The form is titled 'Create Radius Client' and includes a sub-header 'Create new Radius Client'. The form is divided into three main sections: 'Radius Client Basic Details', 'Attribute Mapping', and 'API Parameters'. The 'Radius Client Basic Details' section contains several input fields: 'identity' (highlighted with a blue border), 'IP Address For Client', 'MAC Address For Client', 'Client Group' (set to 'Default Rad Group'), 'Client Profile' (set to 'Standard Cisco BNG Profile'), 'Shared Secret', 'CoA/DM Shared Secret', 'Request Timeout (ms)' (set to '3000'), 'CoA Port' (set to '3799'), 'CoA Timeout (ms)' (set to '3000'), 'Accounting Interval (s)' (set to '900'), and 'Share Across Organization' (set to 'No'). There is also a 'Description' text area. The 'Attribute Mapping' section contains three input fields: 'Mac Id attribute of the client' (set to '0:31'), 'NAS Port Id Attribute', and 'Option 82 Attribute'. The 'API Parameters' section is currently empty.

Create Radius Client

Create new Radius Client

Radius Client Basic Details

identity	IP Address For Client	MAC Address For Client	Client Group Default Rad Group
Client Profile Standard Cisco BNG Profile	Shared Secret	CoA/DM Shared Secret	Request Timeout (ms) 3000
CoA Port 3799	CoA Timeout (ms) 3000	Accounting Interval (s) 900	Share Across Organization No
Description			

Attribute Mapping

Mac Id attribute of the client 0:31	NAS Port Id Attribute	Option 82 Attribute
--	-----------------------	---------------------

API Parameters

create_new

Captured URL: <https://admin.myslbb.com/#/aaa/radius/clients/addclient>

Images uploading...

Create Radius Client

Create new Radius Client

Radius Client Basic Details

identity	IP Address For Client	MAC Address For Client	Client Group Default Rad Group
Client Profile Standard Cisco BNG Profile	Shared Secret	CoA/DM Shared Secret	Request Timeout (ms) 3000
CoA Port 3799	CoA Timeout (ms) 3000	Accounting Interval (s) 900	Share Across Organization No
Description			

Attribute Mapping

Mac Id attribute of the client 0:31	NAS Port Id Attribute	Option 82 Attribute
--	-----------------------	---------------------

API Parameters

Create Radius Client

Create new Radius Client

Radius Client Basic Details

identity	IP Address For Client	MAC Address For Client	Client Group Default Rad Group
Client Profile Standard Cisco BNG Profile	Shared Secret	CoA/DM Shared Secret	Request Timeout (ms) 3000
CoA Port 3799	CoA Timeout (ms) 3000	Accounting Interval (s) 900	Share Across Organization No
Description			

Attribute Mapping

Mac Id attribute of the client 0:31	NAS Port Id Attribute	Option 82 Attribute
--	-----------------------	---------------------

API Parameters

Revision #2

Created 2026-02-03 14:54:27 UTC by Admin

Updated 2026-02-03 14:54:30 UTC by Admin